

## NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	23980		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	23875		99.56 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			95.73 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	22634		98.56 %
ABR	187		0.81 %
DISTORTION PRODUCT	136		0.59 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	22957		96.15 %
PASSED	21699		94.49 %
BILATERAL FAIL	372		1.62 %
FAILED IN LEFT EAR ONLY	509		2.22 %
FAILED IN RIGHT EAR ONLY	377		1.64 %
INCOMPLETE SCREEN REPORTS	827		3.46 %
EQUIPMENT FAILURE	37		4.47 %
NEWBORN DISCHARGED	26		3.14 %
NICU HEARING PENDING	282		34.10 %
REFUSED	124		14.99 %
RESTLESSNESS	1		0.12 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	239		28.90 %
DECEASED	39		4.72 %
OTHER	79		9.55 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	N/A		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2190		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1667)	76.12 %
MISSING CASES	105		0.44 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	372	(298)	80.11 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	886	(723)	81.60 %
INCOMPLETE CASES (RESULTS RECEIVED)	827	(646)	78.11 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR AGUILERA, KELLY, FREELAND
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		75.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	3	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	3	75.00 %
PASSED	3	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	25.00 %
EQUIPMENT FAILURE	1	100.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION BORGESS HOSPITAL, KALAMAZOO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	173	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	172	99.42 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.84 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	171	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	171	99.42 %
PASSED	158	92.40 %
BILATERAL FAIL	6	3.51 %
FAILED IN LEFT EAR ONLY	4	2.34 %
FAILED IN RIGHT EAR ONLY	3	1.75 %
INCOMPLETE SCREEN REPORTS	1	0.58 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	73.33 %
MISSING CASES	1		0.58 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION BORGESS HOSPITAL - SCN, KALAMAZOO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	4		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	4		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	4		100.00 %
PASSED	4		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION GENESYS HOSPITAL, GRAND BLANC
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	328		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	326		99.39 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.87 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	317		98.75 %
ABR	4		1.25 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	321		98.47 %
PASSED	303		94.39 %
BILATERAL FAIL	4		1.25 %
FAILED IN LEFT EAR ONLY	8		2.49 %
FAILED IN RIGHT EAR ONLY	6		1.87 %
INCOMPLETE SCREEN REPORTS	5		1.53 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		20.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		80.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mott Childrens Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	88.00 %
MISSING CASES	2		0.61 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(14)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASCENSION MACOMB OAKLAND HOSPITAL - WARREN CAMPUS,  
~~WARREN~~

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	177	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	177	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.05 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	170	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	170	96.05 %
PASSED	154	90.59 %
BILATERAL FAIL	7	4.12 %
FAILED IN LEFT EAR ONLY	7	4.12 %
FAILED IN RIGHT EAR ONLY	2	1.18 %
INCOMPLETE SCREEN REPORTS	7	3.95 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	7	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Macomb	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23	
TOTAL FOLLOW UP RESULTS RECEIVED **		(19) 82.61 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6) 85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(7) 77.78 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(6) 85.71 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE HOSPITAL - NOVI CAMPUS, NOVI
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	398	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	394	98.99 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	381	98.20 %
ABR	2	0.52 %
DISTORTION PRODUCT	5	1.29 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	337	86.86 %
BILATERAL FAIL	17	4.38 %
FAILED IN LEFT EAR ONLY	22	5.67 %
FAILED IN RIGHT EAR ONLY	12	3.09 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	83.33 %
DECEASED	0	0.00 %
OTHER	1	16.67 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Providence Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	61		
TOTAL FOLLOW UP RESULTS RECEIVED **		(56)	91.80 %
MISSING CASES	4		1.01 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	17	(16)	94.12 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	34	(34)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(6)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE HOSPITAL, SOUTHFIELD - NICU,  
~~SOUTHFIELD~~

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	36		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	33		91.67 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			72.22 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	26		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	26		78.79 %
PASSED	24		92.31 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	2		7.69 %
INCOMPLETE SCREEN REPORTS	7		21.21 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	2		28.57 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		42.86 %
DECEASED	2		28.57 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Providence Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	50.00 %
MISSING CASES	3		8.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(5)	71.43 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE HOSPITAL, SOUTHFIELD CAMPUS,  
~~SOUTHFIELD~~

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	289	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	283	97.92 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.58 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	282	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	282	99.65 %
PASSED	272	96.45 %
BILATERAL FAIL	1	0.35 %
FAILED IN LEFT EAR ONLY	6	2.13 %
FAILED IN RIGHT EAR ONLY	3	1.06 %
INCOMPLETE SCREEN REPORTS	1	0.35 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Providence Hospital OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17	
TOTAL FOLLOW UP RESULTS RECEIVED **		(7) 41.18 %
MISSING CASES	6	2.08 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(5) 55.56 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION PROVIDENCE ROCHESTER HOSPITAL, ROCHESTER
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	117	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	114	97.44 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	114	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	114	100.00 %
PASSED	105	92.11 %
BILATERAL FAIL	2	1.75 %
FAILED IN LEFT EAR ONLY	3	2.63 %
FAILED IN RIGHT EAR ONLY	4	3.51 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St John Macomb</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	58.33 %
MISSING CASES	3		2.56 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(5)	71.43 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION RIVER DISTRICT HOSPITAL, EAST CHINA
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	67	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	65	97.01 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		89.55 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	60	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	60	92.31 %
PASSED	54	90.00 %
BILATERAL FAIL	1	1.67 %
FAILED IN LEFT EAR ONLY	1	1.67 %
FAILED IN RIGHT EAR ONLY	4	6.67 %
INCOMPLETE SCREEN REPORTS	5	7.69 %
EQUIPMENT FAILURE	1	20.00 %
NEWBORN DISCHARGED	2	40.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St John Hospital and MC - Aud	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 46.15 %
MISSING CASES	2	2.99 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4) 80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(1) 20.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST JOHN HOSPITAL, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	509	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	491	96.46 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.68 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	486	99.79 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.21 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	487	99.19 %
PASSED	450	92.40 %
BILATERAL FAIL	7	1.44 %
FAILED IN LEFT EAR ONLY	16	3.29 %
FAILED IN RIGHT EAR ONLY	14	2.87 %
INCOMPLETE SCREEN REPORTS	4	0.81 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	3	75.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	25.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. John Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	59	
TOTAL FOLLOW UP RESULTS RECEIVED **		(33) 55.93 %
MISSING CASES	18	3.54 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6) 85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	30	(23) 76.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST JOHN HOSPITAL - NICU, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	118	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	107	90.68 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		86.44 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	102	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	102	95.33 %
PASSED	97	95.10 %
BILATERAL FAIL	2	1.96 %
FAILED IN LEFT EAR ONLY	2	1.96 %
FAILED IN RIGHT EAR ONLY	1	0.98 %
INCOMPLETE SCREEN REPORTS	5	4.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	20.00 %
NICU HEARING PENDING	3	60.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21	
TOTAL FOLLOW UP RESULTS RECEIVED **		(7) 33.33 %
MISSING CASES	11	9.32 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4) 80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST JOHN HOSPITAL - SCN, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	25	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	24	96.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	23	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	23	95.83 %
PASSED	23	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	4.17 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		4.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASCENSION ST. JOSEPH HOSPITAL, TAWAS CITY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	47		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	47		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	47		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	47		100.00 %
PASSED	43		91.49 %
BILATERAL FAIL	3		6.38 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	1		2.13 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Tawas St Joseph-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS IRONWOOD HOSPITAL, IRONWOOD

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	19		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	19	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	19	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	19	100.00 %	
PASSED	19	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Aspirus Ironwood-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ASPIRUS KEWEENAW HOSPITAL, LAURIUM
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	39	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	39	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	39	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	39	100.00 %
PASSED	38	97.44 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	2.56 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aspirus Keweenaw OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - ROYAL OAK - NICU, ROYAL OAK
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	94	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	94	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		78.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	74	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	74	78.72 %
PASSED	67	90.54 %
BILATERAL FAIL	1	1.35 %
FAILED IN LEFT EAR ONLY	4	5.41 %
FAILED IN RIGHT EAR ONLY	2	2.70 %
INCOMPLETE SCREEN REPORTS	20	21.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	13	65.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	7	35.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont RO- NICU</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	55.56 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	20	(10)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - DEARBORN, DEARBORN
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	829	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	819	98.79 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	814	99.88 %
ABR	1	0.12 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	815	99.51 %
PASSED	800	98.16 %
BILATERAL FAIL	6	0.74 %
FAILED IN LEFT EAR ONLY	6	0.74 %
FAILED IN RIGHT EAR ONLY	3	0.37 %
INCOMPLETE SCREEN REPORTS	4	0.49 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	25.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	2	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Beaumont Royal Oak</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	29		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	48.28 %
MISSING CASES	10		1.21 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8)	88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - DEARBORN - NICU, DEARBORN
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	78	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68	87.18 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		79.49 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	50	79.37 %
ABR	12	19.05 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	91.18 %
PASSED	60	95.24 %
BILATERAL FAIL	1	1.59 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.59 %
INCOMPLETE SCREEN REPORTS	6	8.82 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Beaumont Royal Oak</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 33.33 %
MISSING CASES	10	12.82 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(4) 66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - FARMINGTON HILLS, FARMINGTON  
HILLS

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	173	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	173	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	169	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	169	97.69 %
PASSED	159	94.08 %
BILATERAL FAIL	6	3.55 %
FAILED IN LEFT EAR ONLY	2	1.18 %
FAILED IN RIGHT EAR ONLY	2	1.18 %
INCOMPLETE SCREEN REPORTS	4	2.31 %
EQUIPMENT FAILURE	2	50.00 %
NEWBORN DISCHARGED	1	25.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	25.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(12)	85.71 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - GROSSE POINTE , GROSSE POINTE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	125	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	125	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.20 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	124	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	124	99.20 %
PASSED	124	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.80 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont Hospital -RO Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - ROYAL OAK, ROYAL OAK
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1578		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1576		99.87 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.68 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1571		99.81 %
ABR	2		0.13 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1573		99.81 %
PASSED	1501		95.36 %
BILATERAL FAIL	15		0.95 %
FAILED IN LEFT EAR ONLY	33		2.10 %
FAILED IN RIGHT EAR ONLY	24		1.52 %
INCOMPLETE SCREEN REPORTS	3		0.19 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		33.33 %
DECEASED	1		33.33 %
OTHER	1		33.33 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>William Beaumont Hospital- RO Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	77		
TOTAL FOLLOW UP RESULTS RECEIVED **		(65)	84.42 %
MISSING CASES	2		0.13 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	15	(15) 100.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	57	(48) 84.21 %
INCOMPLETE CASES	(RESULTS RECEIVED)	3	(2) 66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - TRENTON , TRENTON

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	166	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	166	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	162	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	162	97.59 %
PASSED	159	98.15 %
BILATERAL FAIL	1	0.62 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	2	1.23 %
INCOMPLETE SCREEN REPORTS	4	2.41 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Michigan Ear Institute</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 71.43 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3) 75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - TROY, TROY

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	708	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	707	99.86 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	706	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	706	99.86 %
PASSED	672	95.18 %
BILATERAL FAIL	10	1.42 %
FAILED IN LEFT EAR ONLY	14	1.98 %
FAILED IN RIGHT EAR ONLY	10	1.42 %
INCOMPLETE SCREEN REPORTS	1	0.14 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Beaumont Hospital- Troy</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	91.67 %
MISSING CASES	1		0.14 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(9)	90.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	24	(23)	95.83 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - TROY - NICU, TROY

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	43	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	43	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.02 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	40	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	40	93.02 %
PASSED	36	90.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	3	7.50 %
FAILED IN RIGHT EAR ONLY	1	2.50 %
INCOMPLETE SCREEN REPORTS	3	6.98 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Beaumont Hospital-Troy</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BEAUMONT HOSPITAL - WAYNE, WAYNE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	186	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	185	99.46 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	181	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	181	97.84 %
PASSED	170	93.92 %
BILATERAL FAIL	1	0.55 %
FAILED IN LEFT EAR ONLY	7	3.87 %
FAILED IN RIGHT EAR ONLY	3	1.66 %
INCOMPLETE SCREEN REPORTS	4	2.16 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Michigan Ear Institute</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	16	
TOTAL FOLLOW UP RESULTS RECEIVED **		(8) 50.00 %
MISSING CASES	1	0.54 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(4) 40.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3) 75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BOLZMAN, SONDR A, MILLINGTON
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BONTRAGER, STAR, THREE RIVERS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	40.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	50.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	3		60.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON BATTLE CREEK HOSPITAL, BATTLE CREEK
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	177	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	177	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.48 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	169	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	169	95.48 %
PASSED	164	97.04 %
BILATERAL FAIL	2	1.18 %
FAILED IN LEFT EAR ONLY	2	1.18 %
FAILED IN RIGHT EAR ONLY	1	0.59 %
INCOMPLETE SCREEN REPORTS	8	4.52 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	12.50 %
NICU HEARING PENDING	1	12.50 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson Battle Creek-OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	13	
TOTAL FOLLOW UP RESULTS RECEIVED **		(11) 84.62 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(6) 75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL, KALAMAZOO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	810		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	809		99.88 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.52 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	798		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	798		98.64 %
PASSED	756		94.74 %
BILATERAL FAIL	10		1.25 %
FAILED IN LEFT EAR ONLY	18		2.26 %
FAILED IN RIGHT EAR ONLY	14		1.75 %
INCOMPLETE SCREEN REPORTS	11		1.36 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	11		100.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bronson</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	54		
TOTAL FOLLOW UP RESULTS RECEIVED **		(52)	96.30 %
MISSING CASES	1		0.12 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	32	(31)	96.88 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(11)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR BRONSON METHODIST HOSPITAL - NICU, KALAMAZOO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	74		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	74		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			1.35 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	1		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	73		100.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	73		
TOTAL FOLLOW UP RESULTS RECEIVED **		(61)	83.56 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	73	(61)	83.56 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR BURKETT, REBECCA, LANSING

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	2	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR CAMERON, JENNIFER, MANISTEE

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		100.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	1		100.00 %
PASSED	1		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICHIGAN, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	2		100.00 %
PASSED	2		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR CHILDREN'S HOSPITAL OF MICHIGAN - NICU, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR COVENANT HEALTHCARE, SAGINAW
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	524	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	524	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.81 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	522	99.81 %
ABR	1	0.19 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	523	99.81 %
PASSED	503	96.18 %
BILATERAL FAIL	9	1.72 %
FAILED IN LEFT EAR ONLY	7	1.34 %
FAILED IN RIGHT EAR ONLY	4	0.76 %
INCOMPLETE SCREEN REPORTS	1	0.19 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21	
TOTAL FOLLOW UP RESULTS RECEIVED **		(14) 66.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(5) 55.56 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(8) 72.73 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR COVENANT HEALTHCARE - NICU, SAGINAW
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	111	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	111	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		92.79 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	103	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	103	92.79 %
PASSED	97	94.17 %
BILATERAL FAIL	3	2.91 %
FAILED IN LEFT EAR ONLY	1	0.97 %
FAILED IN RIGHT EAR ONLY	2	1.94 %
INCOMPLETE SCREEN REPORTS	8	7.21 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	6	75.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	12.50 %
DECEASED	1	12.50 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 42.86 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1) 33.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1) 33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	8	(4) 50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR DICKINSON COUNTY HEALTHCARE SYSTEM, IRON MOUNTAIN
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	76	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	76	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	76	100.00 %
PASSED	71	93.42 %
BILATERAL FAIL	1	1.32 %
FAILED IN LEFT EAR ONLY	3	3.95 %
FAILED IN RIGHT EAR ONLY	1	1.32 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Dickinson CO Healthcare - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR DOWD, CATHY, CARO

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	10		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	10		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	10		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	10		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Tawas St Joseph-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(10)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR GAISKI, ROXANNE, HASTINGS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR GARDEN CITY HOSPITAL, GARDEN CITY

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	132	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	121	91.67 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	111	96.52 %
ABR	4	3.48 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	115	95.04 %
PASSED	97	84.35 %
BILATERAL FAIL	10	8.70 %
FAILED IN LEFT EAR ONLY	6	5.22 %
FAILED IN RIGHT EAR ONLY	2	1.74 %
INCOMPLETE SCREEN REPORTS	6	4.96 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	66.67 %
DECEASED	1	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Garden City Hosp. - Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	42.86 %
MISSING CASES	11		8.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(6)	60.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6)	75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(3)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HEALEY , LINDA, BATTLE CREEK

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	33.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD ALLEGIANCE HEALTH, JACKSON
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	326	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	326	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.69 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	325	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	325	99.69 %
PASSED	302	92.92 %
BILATERAL FAIL	9	2.77 %
FAILED IN LEFT EAR ONLY	10	3.08 %
FAILED IN RIGHT EAR ONLY	4	1.23 %
INCOMPLETE SCREEN REPORTS	1	0.31 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Allegiance Health System</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	24	
TOTAL FOLLOW UP RESULTS RECEIVED **		(16) 66.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(6) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	14	(9) 64.29 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD ALLEGIANCE HEALTH - SCN, JACKSON

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	24	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	24	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		83.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	20	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	20	83.33 %
PASSED	20	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	16.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	1	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Allegiance Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL, DETROIT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	484		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	483		99.79 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.38 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	478		99.38 %
ABR	3		0.62 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	481		99.59 %
PASSED	412		85.65 %
BILATERAL FAIL	17		3.53 %
FAILED IN LEFT EAR ONLY	22		4.57 %
FAILED IN RIGHT EAR ONLY	30		6.24 %
INCOMPLETE SCREEN REPORTS	2		0.41 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		50.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		50.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Hospital -Aud</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	72		
TOTAL FOLLOW UP RESULTS RECEIVED **		(56)	77.78 %
MISSING CASES	1		0.21 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	17	(14)	82.35 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	52	(40)	76.92 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD HOSPITAL - NICU, DETROIT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	83		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	83		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			55.42 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	16		34.78 %
ABR	30		65.22 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	46		55.42 %
PASSED	40		86.96 %
BILATERAL FAIL	1		2.17 %
FAILED IN LEFT EAR ONLY	3		6.52 %
FAILED IN RIGHT EAR ONLY	2		4.35 %
INCOMPLETE SCREEN REPORTS	37		44.58 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		2.70 %
NICU HEARING PENDING	35		94.59 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	1		2.70 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	43		
TOTAL FOLLOW UP RESULTS RECEIVED **		(32)	74.42 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(3)	60.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	37	(28)	75.68 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD MACOMB , CLINTON TWP.

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	366		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	366		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.91 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	361		99.72 %
ABR	1		0.28 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	362		98.91 %
PASSED	341		94.20 %
BILATERAL FAIL	4		1.10 %
FAILED IN LEFT EAR ONLY	7		1.93 %
FAILED IN RIGHT EAR ONLY	10		2.76 %
INCOMPLETE SCREEN REPORTS	4		1.09 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	1		25.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		75.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL		Macomb ISD	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	17	(13)	76.47 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(5)	125.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WEST BLOOMFIELD HOSPITAL, WEST  
BLOOMFIELD

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	478	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	478	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.74 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	469	99.15 %
ABR	3	0.63 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	472	98.74 %
PASSED	439	92.81 %
BILATERAL FAIL	5	1.06 %
FAILED IN LEFT EAR ONLY	18	3.81 %
FAILED IN RIGHT EAR ONLY	10	2.11 %
INCOMPLETE SCREEN REPORTS	6	1.26 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	33.33 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford West Bloomfield</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	84.62 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	5	(5) 100.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	28	(22) 78.57 %
INCOMPLETE CASES	(RESULTS RECEIVED)	6	(6) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE HOSPITAL, WYANDOTTE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	334		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	334		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.70 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	332		99.70 %
ABR	1		0.30 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	333		99.70 %
PASSED	282		84.68 %
BILATERAL FAIL	12		3.60 %
FAILED IN LEFT EAR ONLY	10		3.00 %
FAILED IN RIGHT EAR ONLY	29		8.71 %
INCOMPLETE SCREEN REPORTS	1		0.30 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		100.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	52		
TOTAL FOLLOW UP RESULTS RECEIVED **		(40)	76.92 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	12	(10)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	39	(29)	74.36 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HENRY FORD WYANDOTTE HOSPITAL - SCN, WYANDOTTE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	24	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	24	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		79.17 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	19	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	19	79.17 %
PASSED	18	94.74 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	5.26 %
INCOMPLETE SCREEN REPORTS	5	20.83 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	40.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	40.00 %
DECEASED	1	20.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Beaumont Hospital-Troy</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HERSHBERGER, FRIEDA, CLARE

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	21		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	21		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	21		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	21		100.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	21		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	21	(21)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HILLSDALE HOSPITAL, HILLSDALE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	80	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	80	94.12 %
PASSED	74	92.50 %
BILATERAL FAIL	1	1.25 %
FAILED IN LEFT EAR ONLY	4	5.00 %
FAILED IN RIGHT EAR ONLY	1	1.25 %
INCOMPLETE SCREEN REPORTS	5	5.88 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hillsdale Comm. Hosp. - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11	
TOTAL FOLLOW UP RESULTS RECEIVED **		(10) 90.91 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4) 80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL, HOLLAND
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	299	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	299	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.67 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	297	99.66 %
ABR	1	0.34 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	298	99.67 %
PASSED	281	94.30 %
BILATERAL FAIL	7	2.35 %
FAILED IN LEFT EAR ONLY	6	2.01 %
FAILED IN RIGHT EAR ONLY	4	1.34 %
INCOMPLETE SCREEN REPORTS	1	0.33 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holland Ob</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18	
TOTAL FOLLOW UP RESULTS RECEIVED **		(17) 94.44 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6) 85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	10	(10) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HOLLAND HOSPITAL - SCN, HOLLAND
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	17	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	17	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.12 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	16	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	16	94.12 %
PASSED	14	87.50 %
BILATERAL FAIL	2	12.50 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	5.88 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holland Hospital</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HOWELL, AMANDA, CLINTON

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER, FLINT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	491		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	491		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.80 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	486		99.18 %
ABR	3		0.61 %
DISTORTION PRODUCT	1		0.20 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	490		99.80 %
PASSED	440		89.80 %
BILATERAL FAIL	13		2.65 %
FAILED IN LEFT EAR ONLY	23		4.69 %
FAILED IN RIGHT EAR ONLY	14		2.86 %
INCOMPLETE SCREEN REPORTS	1		0.20 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Motts Children's HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	51		
TOTAL FOLLOW UP RESULTS RECEIVED **		(43)	84.31 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	13	(10)	76.92 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	37	(32)	86.49 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HURLEY MEDICAL CENTER - NICU, FLINT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	109	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	109	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		90.83 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	99	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	99	90.83 %
PASSED	98	98.99 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.01 %
INCOMPLETE SCREEN REPORTS	10	9.17 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	10.00 %
NICU HEARING PENDING	7	70.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	20.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Motts Childrens HC</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	11		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	72.73 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	10	(7)	70.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY - SINAI HOSPITAL, COMMERCE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	205		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	179		87.32 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			84.88 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	174		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	174		97.21 %
PASSED	170		97.70 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	3		1.72 %
FAILED IN RIGHT EAR ONLY	1		0.57 %
INCOMPLETE SCREEN REPORTS	5		2.79 %
EQUIPMENT FAILURE	2		40.00 %
NEWBORN DISCHARGED	1		20.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		40.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Aud.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	35		
TOTAL FOLLOW UP RESULTS RECEIVED **		(7)	20.00 %
MISSING CASES	26		12.68 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(2)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HURON VALLEY - SINAI HOSPITAL - NICU, COMMERCE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		85.71 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	83.33 %
ABR	1	16.67 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	6	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	1	14.29 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Hospital Aud.</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	711	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	703	98.87 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	662	99.70 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.15 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	663	94.31 %
PASSED	643	96.84 %
BILATERAL FAIL	9	1.36 %
FAILED IN LEFT EAR ONLY	6	0.90 %
FAILED IN RIGHT EAR ONLY	5	0.75 %
INCOMPLETE SCREEN REPORTS	40	5.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	12	30.00 %
DECEASED	0	0.00 %
OTHER	28	70.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	68	
TOTAL FOLLOW UP RESULTS RECEIVED **		(32) 47.06 %
MISSING CASES	8	1.13 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	9	(4) 44.44 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(10) 90.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	40	(18) 45.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL - NICU, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	127	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	124	97.64 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		73.23 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	93	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	93	75.00 %
PASSED	88	94.62 %
BILATERAL FAIL	4	4.30 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.08 %
INCOMPLETE SCREEN REPORTS	31	25.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	6.45 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	25	80.65 %
DECEASED	3	9.68 %
OTHER	1	3.23 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(22)	56.41 %
MISSING CASES	3		2.36 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	31	(19)	61.29 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR HUTZEL WOMEN'S HOSPITAL - SCN, DETROIT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	14		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	14	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	14	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	14	100.00 %	
PASSED	14	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR JACKSON, CYNTHIA, WARREN
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	33.33 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	33.33 %
MISSING CASES	4		66.67 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR KEESLAR, IREENA, STURGIS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	6	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	6	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	6	100.00 %
PASSED	5	83.33 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	16.67 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR KUTIL, EMILY, SOUTHFIELD

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1	100.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	100.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR LAVIS, ROBIN, KALKASKA
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR LECHTENBERG, AMY, STERLING HEIGHTS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR LEMANSKI, HEATHER, WALES
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	7	100.00 %
PASSED	6	85.71 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	14.29 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR LEMLEY, TERRIE, BENTON HARBOR

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	7		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	7	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS			
PASSED	7	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR LIKENS, EMILY, RICHLAND

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	4	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MAHESWARAN, COLLEEN, OAKLAND
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	50.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		25.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	1	100.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2		50.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCCURDY, SANDRA, EAST LANSING
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	7	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	85.71 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		71.43 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	5	83.33 %
PASSED	5	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	16.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		14.29 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCINTIRE, SHANNON, MORLEY

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN PORT HURON - SCN, PORT HURON
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	29		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	29		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			82.76 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	24		96.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	24		82.76 %
PASSED	23		92.00 %
BILATERAL FAIL	1		4.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	5		17.24 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	5		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Holley Ear Institute</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	66.67 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MCLAREN BAY REGION, BAY CITY

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	140		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	140		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.14 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	136		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	136		97.14 %
PASSED	134		98.53 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		0.74 %
FAILED IN RIGHT EAR ONLY	1		0.74 %
INCOMPLETE SCREEN REPORTS	4		2.86 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		25.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	3		75.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bay Medical OB department</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	83.33 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN CENTRAL MICHIGAN, MT. PLEASANT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	100	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	100	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	96	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	96	96.00 %
PASSED	93	96.88 %
BILATERAL FAIL	2	2.08 %
FAILED IN LEFT EAR ONLY	1	1.04 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	4.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Central MI University</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	71.43 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN FLINT, FLINT

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	82	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	82	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	80	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	80	97.56 %
PASSED	80	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	2.44 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>McLaren Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN GREATER LANSING, LANSING
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	246	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	246	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	243	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	243	98.78 %
PASSED	214	88.07 %
BILATERAL FAIL	3	1.23 %
FAILED IN LEFT EAR ONLY	11	4.53 %
FAILED IN RIGHT EAR ONLY	15	6.17 %
INCOMPLETE SCREEN REPORTS	3	1.22 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	32	
TOTAL FOLLOW UP RESULTS RECEIVED **		(21) 65.63 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	26	(18) 69.23 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1) 33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN LAPEER REGION , LAPEER
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	56	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	56	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.21 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	55	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	55	98.21 %
PASSED	54	98.18 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.82 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.79 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lapeer Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN MACOMB, MT. CLEMENS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	235		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	233		99.15 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			98.30 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	231		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	231		99.14 %
PASSED	223		96.54 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	3		1.30 %
FAILED IN RIGHT EAR ONLY	5		2.16 %
INCOMPLETE SCREEN REPORTS	2		0.86 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Macomb ISD</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(6)	50.00 %
MISSING CASES	2		0.85 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(5)	62.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MCLAREN NORTHERN MICHIGAN, PETOSKEY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	123	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	123	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	56	46.67 %
ABR	64	53.33 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	120	97.56 %
PASSED	105	87.50 %
BILATERAL FAIL	7	5.83 %
FAILED IN LEFT EAR ONLY	3	2.50 %
FAILED IN RIGHT EAR ONLY	5	4.17 %
INCOMPLETE SCREEN REPORTS	3	2.44 %
EQUIPMENT FAILURE	1	33.33 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Great Lakes ENT Specialists</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18	
TOTAL FOLLOW UP RESULTS RECEIVED **		(15) 83.33 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(6) 85.71 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(6) 75.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MCLAREN PORT HURON, PORT HURON

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	199	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	199	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	199	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	199	100.00 %
PASSED	190	95.48 %
BILATERAL FAIL	1	0.50 %
FAILED IN LEFT EAR ONLY	5	2.51 %
FAILED IN RIGHT EAR ONLY	3	1.51 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Port Huron Hospital - FBP</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	9		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	88.89 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7)	87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MCLAREN THUMB REGION, BAD AXE

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	93		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	93		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			94.62 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	88		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	88		94.62 %
PASSED	83		94.32 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	4		4.55 %
FAILED IN RIGHT EAR ONLY	1		1.14 %
INCOMPLETE SCREEN REPORTS	5		5.38 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		20.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	4		80.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Huron Early On</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	80.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(4)	80.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(4)	80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MEMORIAL HEALTHCARE, OWOSSO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	111	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	111	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	105	98.13 %
ABR	0	0.00 %
DISTORTION PRODUCT	2	1.87 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	107	96.40 %
PASSED	104	97.20 %
BILATERAL FAIL	1	0.93 %
FAILED IN LEFT EAR ONLY	2	1.87 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	3.60 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Memorial Healthcare Ctr - Aud</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(7) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(4) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH MUSKEGON, MUSKEGON
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	422	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	422	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.31 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	398	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	398	94.31 %
PASSED	386	96.98 %
BILATERAL FAIL	4	1.01 %
FAILED IN LEFT EAR ONLY	5	1.26 %
FAILED IN RIGHT EAR ONLY	3	0.75 %
INCOMPLETE SCREEN REPORTS	24	5.69 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	4.17 %
NICU HEARING PENDING	1	4.17 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	25.00 %
DECEASED	0	0.00 %
OTHER	16	66.67 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Mercy Health-Muskegon - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	36	
TOTAL FOLLOW UP RESULTS RECEIVED **		(31) 86.11 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(7) 87.50 %
INCOMPLETE CASES (RESULTS RECEIVED)	24	(20) 83.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SAINT MARY'S, GRAND RAPIDS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	421		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	421		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	421		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	421		100.00 %
PASSED	384		91.21 %
BILATERAL FAIL	11		2.61 %
FAILED IN LEFT EAR ONLY	12		2.85 %
FAILED IN RIGHT EAR ONLY	14		3.33 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	37		
TOTAL FOLLOW UP RESULTS RECEIVED **		(32)	86.49 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(11)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	26	(21)	80.77 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MERCY HEALTH SAINT MARY'S - NICU, GRAND RAPIDS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	32	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	32	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		81.25 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	25	96.15 %
ABR	1	3.85 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	26	81.25 %
PASSED	22	84.62 %
BILATERAL FAIL	1	3.85 %
FAILED IN LEFT EAR ONLY	2	7.69 %
FAILED IN RIGHT EAR ONLY	1	3.85 %
INCOMPLETE SCREEN REPORTS	6	18.75 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	3	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 60.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(1) 33.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(4) 66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR METRO HEALTH HOSPITAL, WYOMING

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	362		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	361		99.72 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			96.69 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	349		99.71 %
ABR	1		0.29 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	350		96.95 %
PASSED	334		95.43 %
BILATERAL FAIL	3		0.86 %
FAILED IN LEFT EAR ONLY	12		3.43 %
FAILED IN RIGHT EAR ONLY	1		0.29 %
INCOMPLETE SCREEN REPORTS	11		3.05 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	11		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	75.00 %
MISSING CASES	1		0.28 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	13	(10)	76.92 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(9)	81.82 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN MEDICINE, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1004		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1002		99.80 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			99.50 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	998		99.90 %
ABR	1		0.10 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	999		99.70 %
PASSED	981		98.20 %
BILATERAL FAIL	7		0.70 %
FAILED IN LEFT EAR ONLY	3		0.30 %
FAILED IN RIGHT EAR ONLY	8		0.80 %
INCOMPLETE SCREEN REPORTS	3		0.30 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	1		33.33 %
REFUSED	1		33.33 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	1		33.33 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Michigan Medicine- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	23		
TOTAL FOLLOW UP RESULTS RECEIVED **		(21)	91.30 %
MISSING CASES	2		0.20 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	11	(11)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN MEDICINE - NICU, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	99		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	97		97.98 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			84.85 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	73		86.90 %
ABR	11		13.10 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	84		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	7		53.85 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	5		38.46 %
DECEASED	1		7.69 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Michigan Medicine- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	66.67 %
MISSING CASES	2		2.02 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	13	(10) 76.92 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MICHIGAN MEDICINE - PCTU & 11 WEST, ANN ARBOR
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	75.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		75.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	6	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	6	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	2		25.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER- ALPENA, ALPENA
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	101	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	101	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.02 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	96	96.97 %
ABR	1	1.01 %
DISTORTION PRODUCT	2	2.02 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	99	98.02 %
PASSED	95	95.96 %
BILATERAL FAIL	2	2.02 %
FAILED IN LEFT EAR ONLY	2	2.02 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	1.98 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Great Lakes ENT Specialists</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER - GRATIOT , ALMA
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	120	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	120	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	117	99.15 %
ABR	1	0.85 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	118	98.33 %
PASSED	115	97.46 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	1.69 %
FAILED IN RIGHT EAR ONLY	1	0.85 %
INCOMPLETE SCREEN REPORTS	2	1.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>CMU Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MID-MICHIGAN MEDICAL CENTER - MIDLAND, MIDLAND
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	295	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	294	99.66 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.98 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	292	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	292	99.32 %
PASSED	290	99.32 %
BILATERAL FAIL	1	0.34 %
FAILED IN LEFT EAR ONLY	1	0.34 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	0.68 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Central MI University</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	60.00 %
MISSING CASES	1		0.34 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MILLER, LORI ANN, MIO

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	5	(5)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MILLER, POLLY, MORLEY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	2	(2) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MORGAN, SHARON, WHITTEMORE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	3	(3) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE CADILLAC , CADILLAC
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	77	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	76	98.70 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.40 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	75	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	75	98.68 %
PASSED	70	93.33 %
BILATERAL FAIL	2	2.67 %
FAILED IN LEFT EAR ONLY	1	1.33 %
FAILED IN RIGHT EAR ONLY	2	2.67 %
INCOMPLETE SCREEN REPORTS	1	1.32 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Aud. Services Cadillac</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 57.14 %
MISSING CASES	1	1.30 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1) 50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2) 66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE CHARLEVOIX , CHARLEVOIX
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	45		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	44		97.78 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.78 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	44		100.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	44		100.00 %
PASSED	33		75.00 %
BILATERAL FAIL	4		9.09 %
FAILED IN LEFT EAR ONLY	1		2.27 %
FAILED IN RIGHT EAR ONLY	6		13.64 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Charlevoix OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	12		
TOTAL FOLLOW UP RESULTS RECEIVED **		(10)	83.33 %
MISSING CASES	1		2.22 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	4	(3)	75.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	7	(7)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE GRAYLING, GRAYLING
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	85	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	85	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.47 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	5	6.10 %
ABR	0	0.00 %
DISTORTION PRODUCT	77	93.90 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	82	96.47 %
PASSED	71	86.59 %
BILATERAL FAIL	5	6.10 %
FAILED IN LEFT EAR ONLY	5	6.10 %
FAILED IN RIGHT EAR ONLY	1	1.22 %
INCOMPLETE SCREEN REPORTS	3	3.53 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson Grayling- OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(11)	78.57 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(1)	33.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR MUNSON HEALTHCARE OTSEGO MEMORIAL HOSPITAL,  
GAYLORD

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	66	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	66	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.45 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	63	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	63	95.45 %
PASSED	63	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	4.55 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Otsego Memorial Hospital - OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(3)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER, TRAVERSE CITY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	358	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	356	99.44 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.65 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	343	99.13 %
ABR	3	0.87 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	346	97.19 %
PASSED	313	90.46 %
BILATERAL FAIL	15	4.34 %
FAILED IN LEFT EAR ONLY	14	4.05 %
FAILED IN RIGHT EAR ONLY	4	1.16 %
INCOMPLETE SCREEN REPORTS	10	2.81 %
EQUIPMENT FAILURE	1	10.00 %
NEWBORN DISCHARGED	1	10.00 %
NICU HEARING PENDING	2	20.00 %
REFUSED	0	0.00 %
RESTLESSNESS	1	10.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	10.00 %
OTHER	4	40.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC - Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	45		
TOTAL FOLLOW UP RESULTS RECEIVED **		(42)	93.33 %
MISSING CASES	2		0.56 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	15	(15) 100.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	18	(17) 94.44 %
INCOMPLETE CASES	(RESULTS RECEIVED)	10	(10) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR MUNSON MEDICAL CENTER - NICU, TRAVERSE CITY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	52	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	52	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		94.23 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	48	97.96 %
ABR	1	2.04 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	49	94.23 %
PASSED	48	97.96 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	2.04 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	3	5.77 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	66.67 %
DECEASED	1	33.33 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Munson MC-Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2)	66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR MURPHY, ELLEN, CONSTANTINE

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	6		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	6	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	6	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	6	100.00 %	
PASSED	6	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR NORTH OTTAWA COMMUNITY HEALTH SYSTEM, GRAND  
HAVEN

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	North Ottawa OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR NORTHERN GLOW MIDWIFERY, TRAVERSE CITY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR OAKLAWN HOSPITAL, MARSHALL
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	194	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	194	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.48 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	193	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	193	99.48 %
PASSED	190	98.45 %
BILATERAL FAIL	2	1.04 %
FAILED IN LEFT EAR ONLY	1	0.52 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	0.52 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Constance Brown Hearing Centers</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR OSF ST FRANCIS HOSPITAL, ESCANABA
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	78	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	78	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.72 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	77	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	77	98.72 %
PASSED	75	97.40 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	2.60 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.28 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St. Francis OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PARKER, GOLDIE, SHELBY TOWNSHIP
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PERA, SANDRA, WAKEFIELD
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	7	87.50 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		87.50 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	28.57 %
ABR	5	71.43 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	7	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Tawas St Joseph-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	1		12.50 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PINTER, WENDY, SOUTHFIELD
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR PORTER, KIM, GRAND RAPIDS

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0	0.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	0	0.00 %	
PASSED	0	0.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	1	100.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	1	100.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PROEFROCK, STACIA, YPSILANTI
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	6		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	50.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		50.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	3	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS			
PASSED	3	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Henry Ford Allegiance Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	3	50.00 %	
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA COLDWATER REGIONAL HOSPITAL, COLDWATER
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	68	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	68	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.06 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	89.39 %
ABR	7	10.61 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	66	97.06 %
PASSED	64	96.97 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	1	1.52 %
FAILED IN RIGHT EAR ONLY	1	1.52 %
INCOMPLETE SCREEN REPORTS	2	2.94 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	2	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Promedica Coldwater OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA HICKMAN HOSPITAL, ADRIAN
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	144	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	142	98.61 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		93.75 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	132	97.78 %
ABR	3	2.22 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	135	95.07 %
PASSED	119	88.15 %
BILATERAL FAIL	10	7.41 %
FAILED IN LEFT EAR ONLY	4	2.96 %
FAILED IN RIGHT EAR ONLY	2	1.48 %
INCOMPLETE SCREEN REPORTS	7	4.93 %
EQUIPMENT FAILURE	1	14.29 %
NEWBORN DISCHARGED	1	14.29 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	5	71.43 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bixby OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	25	
TOTAL FOLLOW UP RESULTS RECEIVED **		(19) 76.00 %
MISSING CASES	2	1.39 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	10	(7) 70.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5) 83.33 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(7) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR PROMEDICA MONROE REGIONAL HOSPITAL, MONROE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	143		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	143		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			92.31 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	131		98.50 %
ABR	1		0.75 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	132		92.31 %
PASSED	123		92.48 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	4		3.01 %
FAILED IN RIGHT EAR ONLY	5		3.76 %
INCOMPLETE SCREEN REPORTS	11		7.69 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	11		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Toledo Children's Hospital</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	20		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	75.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(4)	44.44 %
INCOMPLETE CASES (RESULTS RECEIVED)	11	(11)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ROBINSON, HEATHER, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	9	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	88.89 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		77.78 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	7	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	7	87.50 %
PASSED	7	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	12.50 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	2		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	50.00 %
MISSING CASES	1		11.11 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR ROPER, JILL, FLINT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR RUTH, BRENDA, GRAND RAPIDS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	4	80.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		40.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	2	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	2	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	2	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	1		20.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR SEIF, JENNIFER, HASTINGS

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR SEIF, JENNIFER, HASTINGS

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	3		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	3	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	3	100.00 %	
PASSED	3	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR SHOOK, KRISTEN, TRAVERSE CITY

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL, DETROIT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	169		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	168		99.41 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			90.53 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	153		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	153		91.07 %
PASSED	142		92.81 %
BILATERAL FAIL	5		3.27 %
FAILED IN LEFT EAR ONLY	3		1.96 %
FAILED IN RIGHT EAR ONLY	3		1.96 %
INCOMPLETE SCREEN REPORTS	15		8.93 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	5		33.33 %
NICU HEARING PENDING	4		26.67 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	6		40.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Children's Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	27		
TOTAL FOLLOW UP RESULTS RECEIVED **		(15)	55.56 %
MISSING CASES	1		0.59 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	5	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	6	(3)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	15	(12)	80.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR SINAI-GRACE HOSPITAL - NICU, DETROIT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	75		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	71		94.67 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			89.33 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	67		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	67		94.37 %
PASSED	65		97.01 %
BILATERAL FAIL	1		1.49 %
FAILED IN LEFT EAR ONLY	1		1.49 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	4		5.63 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	1		25.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		25.00 %
DECEASED	1		25.00 %
OTHER	1		25.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL		<u>Providence Hospital OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	40.00 %
MISSING CASES	4		5.33 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(3)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SLATER , LAURA, GRAND RAPIDS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	3	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	3	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	3	(3) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL, LANSING
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	722		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	722		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	722		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	722		100.00 %
PASSED	640		88.64 %
BILATERAL FAIL	27		3.74 %
FAILED IN LEFT EAR ONLY	36		4.99 %
FAILED IN RIGHT EAR ONLY	19		2.63 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	82		
TOTAL FOLLOW UP RESULTS RECEIVED **		(63)	76.83 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	27	(21)	77.78 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	55	(42)	76.36 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR SPARROW HOSPITAL - NICU, LANSING

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	130		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	130		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			74.62 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	97		98.98 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	97		74.62 %
PASSED	91		92.86 %
BILATERAL FAIL	2		2.04 %
FAILED IN LEFT EAR ONLY	2		2.04 %
FAILED IN RIGHT EAR ONLY	2		2.04 %
INCOMPLETE SCREEN REPORTS	33		25.38 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	30		90.91 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	2		6.06 %
DECEASED	1		3.03 %
OTHER	0		0.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Hearing Health Center</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	39		
TOTAL FOLLOW UP RESULTS RECEIVED **		(33)	84.62 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	33	(27)	81.82 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BIG RAPIDS HOSPITAL , BIG RAPIDS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	106		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	100		94.34 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			93.40 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	98		98.99 %
ABR	0		0.00 %
DISTORTION PRODUCT	1		1.01 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	99		99.00 %
PASSED	96		96.97 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	1		1.01 %
FAILED IN RIGHT EAR ONLY	2		2.02 %
INCOMPLETE SCREEN REPORTS	1		1.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	1		100.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Big Rapids</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	40.00 %
MISSING CASES	6		5.66 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH BUTTERWORTH HOSPITAL, GRAND RAPIDS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1547	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1544	99.81 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		99.55 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1540	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	1540	99.74 %
PASSED	1494	97.01 %
BILATERAL FAIL	11	0.71 %
FAILED IN LEFT EAR ONLY	25	1.62 %
FAILED IN RIGHT EAR ONLY	10	0.65 %
INCOMPLETE SCREEN REPORTS	4	0.26 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	25.00 %
NICU HEARING PENDING	1	25.00 %
REFUSED	2	50.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	53		
TOTAL FOLLOW UP RESULTS RECEIVED **		(43)	81.13 %
MISSING CASES	3		0.19 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	11	(9)	81.82 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	35	(29)	82.86 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(5)	125.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH GERBER MEMORIAL HOSPITAL, FREMONT
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	105	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	105	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.14 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	101	99.02 %
ABR	0	0.00 %
DISTORTION PRODUCT	1	0.98 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	102	97.14 %
PASSED	90	88.24 %
BILATERAL FAIL	3	2.94 %
FAILED IN LEFT EAR ONLY	5	4.90 %
FAILED IN RIGHT EAR ONLY	4	3.92 %
INCOMPLETE SCREEN REPORTS	3	2.86 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Gerber Mem. Health Serv - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(13) 86.67 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	9	(8) 88.89 %
INCOMPLETE CASES (RESULTS RECEIVED)	3	(2) 66.67 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH HELEN DEVOS CHILDREN'S HOSP - NICU,  
~~GRAND RAPIDS~~

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	260	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	259	99.62 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		76.92 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	200	99.50 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	200	77.22 %
PASSED	196	97.51 %
BILATERAL FAIL	2	1.00 %
FAILED IN LEFT EAR ONLY	2	1.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	59	22.78 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	1.69 %
NICU HEARING PENDING	50	84.75 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	8	13.56 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	64		
TOTAL FOLLOW UP RESULTS RECEIVED **		(32)	50.00 %
MISSING CASES	1		0.38 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	59	(30)	50.85 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH LAKELAND HOSPITAL - NILES, NILES
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	124	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	124	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	120	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	120	96.77 %
PASSED	116	96.67 %
BILATERAL FAIL	2	1.67 %
FAILED IN LEFT EAR ONLY	2	1.67 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	4	3.23 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	3	75.00 %
DECEASED	1	25.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lakeland of Niles</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8	
TOTAL FOLLOW UP RESULTS RECEIVED **		(5) 62.50 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	4	(1) 25.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH LAKELAND MEDICAL CENTER-ST JOSEPH,  
ST JOSEPH

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	208	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	208	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.63 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	200	99.50 %
ABR	1	0.50 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	201	96.63 %
PASSED	193	96.02 %
BILATERAL FAIL	3	1.49 %
FAILED IN LEFT EAR ONLY	3	1.49 %
FAILED IN RIGHT EAR ONLY	2	1.00 %
INCOMPLETE SCREEN REPORTS	7	3.37 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	85.71 %
DECEASED	0	0.00 %
OTHER	1	14.29 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Lakeland St Joseph OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	15	
TOTAL FOLLOW UP RESULTS RECEIVED **		(15) 100.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	5	(5) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	7	(7) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH LUDINGTON HOSPITAL, LUDINGTON
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	63		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	63	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	63	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	63	100.00 %	
PASSED	62	98.41 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	1	1.59 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum Health Ludington Hospital		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH PENNOCK HOSPITAL, HASTINGS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	62	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	61	98.39 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	60	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	60	98.36 %
PASSED	58	96.67 %
BILATERAL FAIL	1	1.67 %
FAILED IN LEFT EAR ONLY	1	1.67 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	1.64 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	100.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Pennock Hospital - OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4	
TOTAL FOLLOW UP RESULTS RECEIVED **		(3) 75.00 %
MISSING CASES	1	1.61 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH UNITED HOSPITAL, GREENVILLE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	139	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	138	99.28 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.56 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	137	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	137	99.28 %
PASSED	132	96.35 %
BILATERAL FAIL	1	0.73 %
FAILED IN LEFT EAR ONLY	3	2.19 %
FAILED IN RIGHT EAR ONLY	1	0.73 %
INCOMPLETE SCREEN REPORTS	1	0.72 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	1	100.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Spectrum United OB	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	7	
TOTAL FOLLOW UP RESULTS RECEIVED **		(6) 85.71 %
MISSING CASES	1	0.72 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	4	(4) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR SPECTRUM HEALTH ZEELAND COMMUNITY HOSPITAL,  
ZEELAND

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	194	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	194	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.91 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	188	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	188	96.91 %
PASSED	184	97.87 %
BILATERAL FAIL	1	0.53 %
FAILED IN LEFT EAR ONLY	2	1.06 %
FAILED IN RIGHT EAR ONLY	1	0.53 %
INCOMPLETE SCREEN REPORTS	6	3.09 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	6	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Zeeland Family Birth Center</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 90.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5) 83.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY ANN ARBOR, ANN ARBOR

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	825		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	825		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	820		99.39 %
ABR	5		0.61 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	825		100.00 %
PASSED	811		98.30 %
BILATERAL FAIL	6		0.73 %
FAILED IN LEFT EAR ONLY	6		0.73 %
FAILED IN RIGHT EAR ONLY	2		0.24 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	St. Joseph Mercy AA-OB		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(13)	92.86 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	8	(8)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY OAKLAND, PONTIAC
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	328		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	328		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	328		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	328		100.00 %
PASSED	300		91.46 %
BILATERAL FAIL	6		1.83 %
FAILED IN LEFT EAR ONLY	17		5.18 %
FAILED IN RIGHT EAR ONLY	5		1.52 %
INCOMPLETE SCREEN REPORTS	0		0.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy -Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	28		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	89.29 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	6	(5)	83.33 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	22	(20)	90.91 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ST JOSEPH MERCY OAKLAND - NICU, PONTIAC
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	61	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	61	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		73.77 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	45	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	45	73.77 %
PASSED	44	97.78 %
BILATERAL FAIL	1	2.22 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	16	26.23 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	15	93.75 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	6.25 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy- Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	17		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	82.35 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	16	(13)	81.25 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ST. JOSEPH MERCY ANN ARBOR - NICU, ANN ARBOR
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	52	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	52	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		96.15 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	39	78.00 %
ABR	11	22.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	50	96.15 %
PASSED	47	94.00 %
BILATERAL FAIL	1	2.00 %
FAILED IN LEFT EAR ONLY	2	4.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	3.85 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	1	50.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Joseph Mercy AA-OB</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5	
TOTAL FOLLOW UP RESULTS RECEIVED **		(4) 80.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(2) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1) 50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ST. MARY MERCY LIVONIA HOSPITAL, LIVONIA
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	131	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	131	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		95.42 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	125	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	125	95.42 %
PASSED	121	96.80 %
BILATERAL FAIL	3	2.40 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	0.80 %
INCOMPLETE SCREEN REPORTS	6	4.58 %
EQUIPMENT FAILURE	1	16.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	4	66.67 %
DECEASED	1	16.67 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>St Mary's Hospital OB-Livonia</u>	
TOTAL INITIAL CASES NEEDING FOLLOW UP *	10	
TOTAL FOLLOW UP RESULTS RECEIVED **		(9) 90.00 %
MISSING CASES	0	0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3) 100.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1) 100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	6	(5) 83.33 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR STEFFEN, THERESA , BEAVERTON

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR STOCKTON, HELEN, YPSILANTI
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	2		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	2		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			100.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	2		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS			
PASSED	2		100.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS			
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Covenant Cooper Campus</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	0	0 0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR THREE RIVERS HEALTH, THREE RIVERS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	60	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	60	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		98.33 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	59	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	59	98.33 %
PASSED	56	94.92 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	2	3.39 %
FAILED IN RIGHT EAR ONLY	1	1.69 %
INCOMPLETE SCREEN REPORTS	1	1.67 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	100.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Three Rivers OB Department</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	4		
TOTAL FOLLOW UP RESULTS RECEIVED **		(4)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(3)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - BELL, ISHPEMING
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	62	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	62	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	62	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	62	100.00 %
PASSED	61	98.39 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	1	1.61 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Bell Hospital OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - MARQUETTE, MARQUETTE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	101		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	99		98.02 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			97.03 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	97		98.98 %
ABR	1		1.02 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	98		98.99 %
PASSED	96		97.96 %
BILATERAL FAIL	1		1.02 %
FAILED IN LEFT EAR ONLY	1		1.02 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	1		1.01 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	1		100.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Marquette-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	40.00 %
MISSING CASES	2		1.98 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	1	(1)	100.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - MARQUETTE - NICU, MARQUETTE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	17	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	16	94.12 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		82.35 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	14	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	14	87.50 %
PASSED	14	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	2	12.50 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	2	100.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Marquette OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	1		5.88 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR UP HEALTH SYSTEM - PORTAGE, HANCOCK
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	53		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	53		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			39.62 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	21		100.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	21		39.62 %
PASSED	19		90.48 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	2		9.52 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	32		60.38 %
EQUIPMENT FAILURE	25		78.13 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	7		21.88 %
DECEASED	0		0.00 %
OTHER	0		0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Upper Peninsula Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	34		
TOTAL FOLLOW UP RESULTS RECEIVED **		(25)	73.53 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	2	(1)	50.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	32	(24)	75.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR URIEL, LUANNE, BENTON HARBOR
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %	
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %	
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	1	100.00 %	
ABR	0	0.00 %	
DISTORTION PRODUCT	0	0.00 %	
TEOAE	0	0.00 %	
BILATERALLY COMPLETED REPORTS	1	100.00 %	
PASSED	1	100.00 %	
BILATERAL FAIL	0	0.00 %	
FAILED IN LEFT EAR ONLY	0	0.00 %	
FAILED IN RIGHT EAR ONLY	0	0.00 %	
INCOMPLETE SCREEN REPORTS	0	0.00 %	
EQUIPMENT FAILURE	0	0.00 %	
NEWBORN DISCHARGED	0	0.00 %	
NICU HEARING PENDING	0	0.00 %	
REFUSED	0	0.00 %	
RESTLESSNESS	0	0.00 %	
ENVIRONMENTAL NOISE	0	0.00 %	
TRANSFER TO ANOTHER FACILITY	0	0.00 %	
DECEASED	0	0.00 %	
OTHER	0	0.00 %	
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR VISSER , YOLANDA, GRAND RAPIDS

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	18	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	18	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	18	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	18	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	18		
TOTAL FOLLOW UP RESULTS RECEIVED **		(20)	111.11 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	18	(20)	111.11 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR WAITE, JESSICA, NEWAYGO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	5	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	5	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	5	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	5	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	5		
TOTAL FOLLOW UP RESULTS RECEIVED **		(5)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	5	(5) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR WAR MEMORIAL HOSPITAL, SAULT STE MARIE
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	83	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	83	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		97.59 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	81	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	81	97.59 %
PASSED	77	95.06 %
BILATERAL FAIL	1	1.23 %
FAILED IN LEFT EAR ONLY	1	1.23 %
FAILED IN RIGHT EAR ONLY	2	2.47 %
INCOMPLETE SCREEN REPORTS	2	2.41 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	1	50.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	1	50.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>War Memorial-OB</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	6		
TOTAL FOLLOW UP RESULTS RECEIVED **		(3)	50.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	1	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	3	(2)	66.67 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(1)	50.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR WEAVER, KATIE, SEARS
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	14	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	14	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	14	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	14	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Spectrum Audiology</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	14		
TOTAL FOLLOW UP RESULTS RECEIVED **		(14)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	14	(14)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR WENTE, SUSAN, NEWAYGO
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	4	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	3	75.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		25.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	33.33 %
BILATERAL FAIL	1	100.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	2	66.67 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	2	100.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	3		
TOTAL FOLLOW UP RESULTS RECEIVED **		(2)	66.67 %
MISSING CASES	1		25.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	2	(2)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

## NEWBORN HEARING SCREENING RESULTS FOR WHITE, NICOLE, DETROIT

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1		
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1		100.00 %
<u>INITIAL SCREENING RESULTS</u>			
PERCENT SCREENED (bilaterally completed reports/newborn screens)			0.00 %
TEST METHOD (for bilaterally completed screens only)			
AABR (ALGO 1 OR 2)	0		0.00 %
ABR	0		0.00 %
DISTORTION PRODUCT	0		0.00 %
TEOAE	0		0.00 %
BILATERALLY COMPLETED REPORTS	0		0.00 %
PASSED	0		0.00 %
BILATERAL FAIL	0		0.00 %
FAILED IN LEFT EAR ONLY	0		0.00 %
FAILED IN RIGHT EAR ONLY	0		0.00 %
INCOMPLETE SCREEN REPORTS	1		100.00 %
EQUIPMENT FAILURE	0		0.00 %
NEWBORN DISCHARGED	0		0.00 %
NICU HEARING PENDING	0		0.00 %
REFUSED	0		0.00 %
RESTLESSNESS	0		0.00 %
ENVIRONMENTAL NOISE	0		0.00 %
TRANSFER TO ANOTHER FACILITY	0		0.00 %
DECEASED	0		0.00 %
OTHER	1		100.00 %
<u>FOLLOW UP RESULTS</u>			
DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	Saginaw Intermediate School District		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR YODER, GRACE ANN, TUSTIN
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	1	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	1	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	1		
TOTAL FOLLOW UP RESULTS RECEIVED **		(1)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	1	(1)	100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZANER, JENNIFER, MACOMB TWP

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	1	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	1	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	1	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS		
PASSED	1	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS		
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ZASTROW, CORRIE, QUINCY
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	8	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	8	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		0.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	0	0.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	0	0.00 %
PASSED	0	0.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	8	100.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	8	100.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	8		
TOTAL FOLLOW UP RESULTS RECEIVED **		(8)	100.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
UNILATERAL FAIL CASES	(RESULTS RECEIVED)	0	0 0.00 %
INCOMPLETE CASES	(RESULTS RECEIVED)	8	(8) 100.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

---

 NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION
 

---

NEWBORN SCREENS FROM 10/01/2020 - 12/31/2020	10	
NUMBER OF HEARING REPORTS RECEIVED AT MDCH	10	100.00 %
<u>INITIAL SCREENING RESULTS</u>		
PERCENT SCREENED (bilaterally completed reports/newborn screens)		100.00 %
TEST METHOD (for bilaterally completed screens only)		
AABR (ALGO 1 OR 2)	10	100.00 %
ABR	0	0.00 %
DISTORTION PRODUCT	0	0.00 %
TEOAE	0	0.00 %
BILATERALLY COMPLETED REPORTS	10	100.00 %
PASSED	10	100.00 %
BILATERAL FAIL	0	0.00 %
FAILED IN LEFT EAR ONLY	0	0.00 %
FAILED IN RIGHT EAR ONLY	0	0.00 %
INCOMPLETE SCREEN REPORTS	0	0.00 %
EQUIPMENT FAILURE	0	0.00 %
NEWBORN DISCHARGED	0	0.00 %
NICU HEARING PENDING	0	0.00 %
REFUSED	0	0.00 %
RESTLESSNESS	0	0.00 %
ENVIRONMENTAL NOISE	0	0.00 %
TRANSFER TO ANOTHER FACILITY	0	0.00 %
DECEASED	0	0.00 %
OTHER	0	0.00 %

FOLLOW UP RESULTS

DESIGNATED RESCREEN SITE ASSIGNED BY HOSPITAL	<u>Saginaw Intermediate School District</u>		
TOTAL INITIAL CASES NEEDING FOLLOW UP *	0		
TOTAL FOLLOW UP RESULTS RECEIVED **		0	0.00 %
MISSING CASES	0		0.00 %
BILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
UNILATERAL FAIL CASES (RESULTS RECEIVED)	0	0	0.00 %
INCOMPLETE CASES (RESULTS RECEIVED)	0	0	0.00 %

\* Cases Indicating: Missing, Bilateral Fail, Unilateral Fail, and Incomplete

\*\* Results Indicating: Normal Hearing, Hearing Loss, Expired, or Initial Screen Refused

NEWBORN HEARING SCREENING RESULTS FOR ZOYIOPOULOS , LAURIE, MARION

---